CONTENTS

Special Issue:
Molecular Spectroscopy and Molecular Structure 1989 — Proceedings of the XIXth European Congress on Molecular Spectroscopy, Dresden, G.D.R., 3–8 September 1989.

(This is the third of three Congress Volumes)

Part C: Contributed Papers

CRYSTALS AND SOLID STATE

Single crystal Raman studies of the H_2O librational modes of isomorphic $MX_2 \cdot H_2O$ (M=Ba, Sr; X=Br, I)
H.D. Lutz, K. Beckenkamp and J. Henning (Siegen, F.R.G.) 1
Determination of Raman intensities of lattice vibrations in crystalline urea
P. Bleckmann and M. Thibud (Dortmund, F.R.G.) 7
The theory of electronic structure of clusters
N. Kulagin (Zaporozhye, U.S.S.R.) 13
Identification of impurities in GaP by Raman spectroscopy
B.H. Bairamov (Leningrad, U.S.S.R.), G. Irmer, J. Monecke (Freiberg, G.D.R.) and V.V. Toporov (Leningrad, U.S.S.R.) 19
How to catch clusters frozen into single crystals during growth?
B. Wolf and A. Zehe (Dresden, G.D.R.) 25
Raman study of $Pb_5(GeO_4)(VO_4)_2$ crystals
E. Anachkova, M. Gospodinov, P. Svestarov, T. Milenov, A. Nikolov, V. Tasev (Sofia, Bulgaria), Y. Markov, M. Limonov and G. Bruchman (Leningrad, U.S.S.R.) 31
The influence of exciton-dispersion on the lineshape of $NaNO_2$ fluorescence
J. Köhler, Th. Schmidt and D. Schmid (Dusseldorf, F.R.G.) 37
Vibrational relaxation of Davydov components of the 940 cm^{-1} mode in $KClO_4$ crystal
R. Bini, P. Foggi, P.R. Salvi, R. Simone and V. Schettino (Florence, Italy) 43
Polarized infrared reflection studies on $MClO_4$ (M=NH_4, K, Rb and Cs)
H.D. Lutz, J. Himmrich (Siegen, F.R.G.) and S. Haussühl (Cologne, F.R.G.) 49
Intramolecular and intermolecular coupling of the water bands in β-$MnSO_3 \cdot 3H_2O$ type compounds
J. Henning and H.D. Lutz (Siegen, F.R.G.) 55
The O–H and O–O stretching vibrations in the hydrates of sodium and potassium saccharinate: spectra–structure correlations
G. Jovanovski, O. Grupče and B. Šoptrajanov (Skopje, Yugoslavia) 61
Vibrational spectra of hexaaqua complexes: I. Assignments of water librational bands in the spectra of some alums
V. Petruševski and B. Šoptrajanov (Skopje, Yugoslavia) 67
FT–IR spectra of water in cinchoninium tetrachlorocadmate (II) dihydrate and cinchoninium tetrachlorozincate (II) dihydrate complexes
A. Weselucha-Birczyńska, M. Dyrek and C. Paluszkiewicz (Cracow, Poland) 73
UV-light-induced defects in alkali-halide crystals KBr and KI with molecular ions NO_2^-
M.P. Lisitsa, L.I. Berezhinsky and N.L. Taranenko (Kiev, U.S.S.R.) 79
EPR single crystal spectra of magnetically diluted bis[cinchoninium tetrachloro-copper(II)] trihydrate
A. Weselucha-Birczyńska (Cracow, Poland), S.K. Hoffmann (Poznań, Poland), K. Dyrek and M. Łabanowska (Cracow, Poland) 85
Infrared and Raman spectra of N-implanted GaAs
M. Závětová (Prague, Czechoslovakia), I.P. Akimchenko, N.N. Dymova (Moscow, U.S.S.R.) and S. Kamba (Prague, Czechoslovakia) 89
Anharmonicity and hydrogen bonding in electrooptic sucrose crystal
M.M. Szostak and J. Giermańska (Wroclaw, Poland) 95

Structural transformations and H-bonds in $Li_{1-x}H_xIO_3$ mixed crystals
A.I. Barabash, T.A. Gavrilko, A.M. Petrosyan, G.A. Puchkovskaya, K.E. Eshimov and A.M. Yaremko (Kiev, U.S.S.R.) 101
Vibrational study of mixed SiO_2–GeO_2 glasses
K.E. Lipinska-Kalita and D.J. Mowbray (Oxford, Gt. Britain) 107
A study of a host–guest interaction in Hofmann–type clathrates
B. Minceva-Sukarova, L. Andreeva and G. Ivanovski (Skopje, Yugoslavia) 111
High pressure Raman spectra of trigonal and tetrahedral mercury(II) halide complexes: $[(CH_3)_3S][HgCl_3]$
P. Biscarini, A. Brillante (Bologna, Italy) and K. Syassen (Stuttgart, F.R.G.) 117
Liquid-like motion of molecules in the solid phases of organic crystals as studied by Raman and NMR spectroscopy
V. Balevičius, A. Maršalka, V. Šablinskas and L. Kimtys (Vilnius, U.S.S.R.) 123
Vibrational excition states and structural phase transition in chloranil crystal
A. Le Roy, G. Djeteli and R. Guerin (Poitiers, France) 131
Polytype analysis of SiC powders by Raman spectroscopy
K. Goehlert, G. Irmer, L. Michalowsky and J. Monecke (Freiberg, G.D.R.) 135
Raman study of different phases in ion implanted silicon
L.P. Avakyants, E.D. Obrastsova and V.S. Gorelik (Moscow, U.S.S.R.) 141
Raman scattering of light in perovskite-like superconductor $Ba_{1-x}K_xBiO_3$
N.V. Anshukova, A.I. Golovashkin, V.S. Gorelik, L.I. Ivanova, K.V. Mitsen, A.P. Rusakov and R.N. Khashimov (Moscow, U.S.S.R.) 147
Vibrational spectra of high-T_c superconductors $YBa_2Cu_3O_x$. Evidence of interband hybridization
V.M. Burlakov, N.Y. Boldyrev, E.I. Firsov, K.V. Kraishaya, S.I. Krasnosvobodtzev, A.G. Mit'ko, E.V. Pechen and Yu.A. Hadzhiysky (Troitsk, U.S.S.R.) 153
Photo-induced polytype-transition in the layer crystals
V.A. Bibik and N.A. Davydova (Kiev, U.S.S.R.) 159
IR absorbance in proton-exchanged $LiNbO_3$ optical waveguides
I.T. Savatinova, M. Kuneva, B. Jordanov and D. Kolev) (Sofia, Bulgaria) 165
Harmonic frequencies and anharmonicity constants for the antisymmetric SO_4 stretching vibrations of isomorphously isolated SO_4 ions in K_2CrO_4
V. Petruševski (Skopje, Yugoslavia) and W.F. Sherman (London, Gt. Britain) 171
Structural investigation of (Pb,La)TiO_3 ceramics by second derivative FTIR spectroscopy
R. Salzer, J. Dressler, M.K. Gergs, D. Michel, H. Schlemmbach, W. Windsch (Leipzig, G.D.R.) and P. Reich (Berlin, G.D.R.) 177
The electronic, vibrational and resonance Raman spectra of the layered semiconducting NbS_3 compound
C. Sourisseau, R. Cavagnat, M. Fouassier and P. Maraval (Talence, France) 183
Optical superradiance in crystals — method of relaxation process studies
V.V. Eremenko, P.V. Zinoviev, A.R. Kazachkov, N.B. Silaeva (Kharkov, U.S.S.R.) and V.V. Samartsev (Kazan, U.S.S.R.) 189
The dependence of superradiance intensity on separation of radiators
V.V. Eremenko, P.V. Zinoviev, A.R. Kazachkov and N.B. Silaeva (Kharkov, U.S.S.R.) 199

HYDROGEN BONDING
Vibrational spectra of liquefied high-purity hydrogen sulphide, hydrogen selenide and their dilute water solutions
P.G. Sennikov, D.A. Raldugin, V.E. Shkrunin (Gorky, U.S.S.R.) and K.G. Tokhadze (Leningrad, U.S.S.R.) 203
The structure and spectroscopy of H-bonded benzoxazole derivatives
A. Mordziński, M.J. Nowak and J. Lipkowski (Warsaw, Poland) 209
Vibrational dephasing of ν_s(OH) in 2,4-dichlorophenol
M.A. Broda and J.P. Hawranek (Wroclaw, Poland) 215
Infrared dispersion of the hydrogen-bonded pentachlorophenol–3-chloropyridine complex
B. Czarnik-Matusewicz and J.P. Hawranek (Wroclaw, Poland) 221

NH···π molecular complexes of *N*-trimethylsilylacetamide and aromatic donor molecules
Lj.J. Bogunović, U.B. Mioč and S.V. Ribnikar (Belgrade, Yugoslavia) 227
Infrared studies on *o*-, *m*- and *o*-cresol–urea (1 : 1) complexes
J.Cz. Dobrowolski (Warsaw, Poland) 233
Infrared and cryometric studies on hydrogen bonding of carbazole with selected tertiary amides
M.E. Jamróz, J.Cz. Dobrowolski and J. Polaczek (Warsaw, Poland) 239
Hydrogen bonding of *N*-monosubstituted amides. IR study of *N*-butylacetamides
A.D. Nikolić, M. Tarjani-Rozsa, N.U. Perišić-Janjić, A. Petrik (Novi Sad, Yugoslavia) and D.G. Antonović (Belgrade, Yugoslavia) 245
Self-association of pyridine carboxylic acids and orotic acid in aqueous solution. An ultraviolet study
F. Peral, E. Gallego and J. Morcillo (Madrid, Spain) 251
Hydrogen bonding in multicomponent systems
E.V. Titov, V.I. Shurpach, G.A. Belkina and N.P. Gonchar (Donetsk, U.S.S.R.) 257
Methods and programs for analytical account of changes in molecular energy in crystals with hydrogen bonds and for calculation of their spectra
V.V. Sivchik (Minsk, U.S.S.R.) 263
The influence of H-bonds on the torsion vibrations and structure of D-glucose and D-galactose CCOH···O groups in a crystal
V.V. Sivchik and R.G. Zhbankov (Minsk, U.S.S.R.) 269

BIOLOGICAL MOLECULES
Infrared linear dichroism as a tool to monitor antitumor drug-induced changes of the conformational flexibility of biopolymers
H. Fritzsche (Jena, G.D.R.) 275
The PO_2^- moiety — a hydrogen bonding acceptor in biological molecules
W. Pohle (Jena, G.D.R.) 281
Spectral hole burning of model photosynthetic systems
J. Hala, M. Vacha, J. Dian, I. Pelant and M. Ambroz (Prague, Czechoslovakia) 287
NMR and dielectric spectroscopy investigation of protein dynamical structure
V.D. Fedotov, Yu.D. Feldman, A.G. Krushelnitsky and I.V. Ermolina (Kazan, U.S.S.R.) 293
Low temperature vibrational and vibronic spectra of adenine single crystals
J. Štěpánek and V. Baumruk (Prague, Czechoslovakia) 299
Medium-frequency Raman spectra of crystalline uracil, thymine and their 1-methyl derivatives
M.J. Wojcik (Cracow, Poland) 305
Vibrational spectra and molecular structure of nucleic acid bases and their complexes in low temperature matrices
Yu.P. Blagoi, E.D. Radchenko, S.G. Stepanian and G.G. Sheina (Kharkov, U.S.S.R.) 311
^{13}C NMR spectra of some 5-substituted-3-isopropyl-6-methyl uracils
B.Ž. Jovanović, Ž.D. Tadić, V.E. Vajs and M.B. Pešić (Belgrade, Yugoslavia) 317
On the Raman spectra of mononucleotides
P. Carmona and M. Molina (Madrid, Spain) 323
Comparative IR-spectral studies of different modifications of the antibiotic Cefazolin Na
G.N. Kalinkova, G. Ovcharova, I. Gagauzov, V. Krestev and L. Petrov (Sofia, Bulgaria) 329
Vibrational spectra of dioxygen adducts and oxo complexes of ruthenium tetraphenylporphine (RuTPP)
L.M. Proniewicz, I.R. Paeng, W. Lewandowski and K. Nakamoto (Milwaukee, WI, U.S.A.) 335
Infrared spectroscopy as a tool for investigations of DNA structure and DNA–ligand interactions
W. Pohle and H. Fritzsche (Jena, G.D.R.) 341
Picosecond fluorescence spectrochronography of protein melittin and melittin–membrane complexes
A.Yu. Chikishev (Moscow, U.S.S.R), A.S. Ladokhin (Kiev, U.S.S.R.), N.V. Lebedeva and B.N. Toleutaev (Moscow, U.S.S.R.) 347

Structure elucidation of an unusual glycolipid by two-dimensional NMR methods
L. Weber, J.Stach, G. Haufe, R. Hommel and H.-P. Kleber (Leipzig, G.D.R.) 353
Photoisomerization of provitamin D in dispersive systems
I.P. Terenetskaya, O.G. Perminova and A.M. Yeremenko (Kiev, U.S.S.R.) 359

POLYMERS AND DYES
Spectroscopic investigations on aqueous solution of poly(oxyethylene)–poly(oxypropylene)–poly(oxyethylene) triblock copolymers
S. Wartewig, I. Alig, W.-D. Hergeth, J. Lange, R. Lochmann and T. Scherzer (Merseburg, G.D.R.) 365
Synthesis and characterization of isophorone diisocyanate based polyurethanes
A. Mirčeva, T. Malavašič and U. Osredkar (Ljubljana, Yugoslavia) 371
Time-resolved fluorescence study of micellizing block copolymers
K. Procházka, Š. Vajda, V. Fidler, B. Bednář (Prague, Czechoslovakia), E. Mukhtar, M. Almgren (Uppsala, Sweden) and S. Holmes (Glasgow, Gt. Britain) 377
A simple approach for describing the optical properties of conjugated polymers
H. Hartmann and K. Linsenbarth (Merseburg, G.D.R.) 383
Nonlinear optical susceptibilities of helical polymers
I.J. Lalov and R.D. Atanasov (Sofia, Bulgaria) 389
Internal rotation and vibrational properties of polyfuran oligomers
V. Hernandez, J.T. Lopez Navarrete and J.I. Marcos (Malaga, Spain) 397
Colour and constitution: linear free energy relationships and/or polymethinic colour rules?
S. Daehne and K. Hoffmann (Berlin, G.D.R.) 403
The effect of internal rotation on absorption and fluorescence of dye molecules
G. Haucke, P. Czerney, H.-D. Ilge, D. Steen (Jena, G.D.R.) and H. Hartmann (Merseburg, G.D.R.) 411
Time-resolved spectroscopy of photoelectron transfer reactions of polymethine dyes
K.-H. Feller, U.-W. Grummt, D. Fassler (Jena, G.D.R.), R. Gadonas, V. Krasauskas and A. Piskarskas (Vilnius, U.S.S.R.) 417

Author index (Vols. 217, 218 and 219) 425
Subject index (Vols. 217, 218 and 219) 431